



# HP Everyday Clear Matte CR



## The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



## Versatile promotional monomeric adhesive vinyl with clear, removable adhesive and a matte finish

### Achieve vibrant print quality

Create high-impact removable signage with sharp, vibrant print quality while enjoying excellent value—the ideal solution for removable short-term window graphic applications.

### Gain efficiency while providing outstanding color fidelity

Save time and gain efficiency with ICC profiles that help you get the color you need quickly—ideal for a wide range of indoor and outdoor applications.

### Save time with a reliable, total HP solution

Original HP printing materials, Original HP inks, and HP large format printers are designed to work together as a system to provide reliable, consistent, quality results that help save time.

Target customers	Applications	Benefits
Print service providers	Window graphics	Excellent value and performance in a removable, monomeric calendared adhesive vinyl
	Point-of-sale, retail displays	Outstanding print performance
	Indoor and outdoor signage	Print with ease using the complete HP solution—media, inks, profiles, printer
	Exhibit and event displays	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks

## Technical specifications



### HP Everyday Clear Matte CR

For the latest ICC profiles/paper presets, please visit [HPLFMedia.com/hp/paperpresets](https://HPLFMedia.com/hp/paperpresets).

<b>Ink compatibility</b>	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks			
<b>Liner</b>	140 g/m <sup>2</sup> double-sided PE liner			
<b>Thickness</b>	90 microns/3.55 mil per ISO 20534 Test Method			
<b>Base vinyl</b>	Calendered monomeric			
<b>Adhesive</b>	Clear, removable pressure-sensitive adhesive			
<b>Finish</b>	Matte			
<b>Water resistance</b>	Water resistant with HP 871 and 831 Latex Inks <sup>1</sup>			
<b>Service temperature</b>	-25 to 70° C (-13 to 158° F)			
<b>Operating temperature</b>	8 to 35° C (46 to 95° F)			
<b>Storage temperature</b>	5 to 25° C (41 to 77° F)			
<b>Storage humidity</b>	25 to 50% RH			
<b>Lamination</b>	Cold lamination; recommend using HP Everyday Gloss or Matte Laminate CP			
<b>Shelf life</b>	1 year, unopened in original packaging			
<b>Environmental</b>	REACH compliant <sup>2</sup>			
<b>Country of origin</b>	Product of China			
<b>Ordering information</b>	<b>Product numbers</b>	<b>Roll sizes</b>	<b>UPC codes</b>	<b>Region</b>
	8T7T0A	1372 mm x 50 m (54 in x 164 ft)	848412027235	China, Vietnam, Thailand, Indonesia, and India
	8T7T1A	1372 mm x 100 m (54 in x 328 ft)	848412027242	China, Vietnam, Thailand, Indonesia, and India
	8T7T2A	1524 mm x 50 m (60 in x 164 ft)	848412027259	China, Vietnam, Thailand, Indonesia, and India
	8T7T3A	1524 mm x 100 m (60 in x 328 ft)	848412027266	China, Vietnam, Thailand, Indonesia, and India

### Warranty

HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see [HPLFMedia.com/MediaWarranties](https://HPLFMedia.com/MediaWarranties). To obtain warranty service, please contact Brand Management Group customer support at [HPLFMedia.com/hp/en/contactus](https://HPLFMedia.com/hp/en/contactus).

<sup>1</sup> Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see: [HPLFMedia.com/hp/printpermanence](https://HPLFMedia.com/hp/printpermanence).

<sup>2</sup> See the HP REACH Declaration published at [HP Printing Products and Consumable Supplies](https://HPLFMedia.com/hp/en/contactus).

**For detailed information on the HP large format printing materials portfolio and to order, see [HPLFMedia.com](https://HPLFMedia.com)**

