



HP Everyday Gloss CHTP



The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



Achieve consistent image quality on multiple surfaces

Get strong adhesion for “hard-to-stick” surfaces

With this aggressive, high-tack adhesive, HP Everyday Gloss CHTP is the ideal choice for “hard-to-stick” surfaces such as low-energy plastics. Suitable for short-term indoor and outdoor applications, the clear high-tack adhesive adheres to multiple surfaces.

Produce vibrant, easy-to-handle prints

HP Everyday Gloss CHTP provides excellent cutting properties that can increase production and enable design flexibility. Create striking graphics that are easy to cut and handle with a lay-flat liner.

Save time with a reliable, total HP solution

Original HP printing materials, Original HP inks, and HP large format printers are designed to work together as a system to provide reliable, consistent, quality results that help save time.

Target customers	Applications	Benefits
Print service providers	Graphics on low-energy surfaces	Cost-effective, monomeric calendered vinyl for hard-to-stick surfaces
	Point-of-sale, retail displays	High-tack, clear permanent adhesive provides opacity to achieve consistent image quality on multiple surfaces
	Indoor promotions	Adheres to hard-to-stick surfaces
	Short-term outdoor signage	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
	Labels	

Technical specifications



HP Everyday Gloss CHTP

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

Ink compatibility	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
Liner	140 g/m ² double-sided PE-coated silicone paper
Thickness (base vinyl)	90 microns/3.55 mil per ISO 20534 Test Method
Base vinyl	Calendered monomeric
Adhesive	Clear, permanent high-tack pressure-sensitive adhesive
Opacity	>90% per TAPPI T-425 Test Method
Finish	Gloss, >70 gloss units at 60° reflection
Water resistance	Water resistant with HP 871 and 831 Latex Inks ¹
Service temperature	-25 to 70° C (-13 to 158° F)
Operating temperature	8 to 35° C (46 to 95° F)
Storage temperature	5 to 25° C (41 to 77° F)
Storage humidity	20 to 50% RH
Lamination	Cold lamination; recommend using HP Everyday Matte or Gloss Laminate CP
Shelf life	1 year, unopened in original packaging
Environmental	REACH compliant ²
Country of origin	Product of China

Ordering information	Product numbers	Roll sizes	UPC codes	Region
	8T7R4A	1372 mm x 50 m (54 in x 164 ft)	848412027150	China, Vietnam, Thailand, Indonesia, and India
	8T7R5A	1372 mm x 100 m (54 in x 328 ft)	848412027167	China, Vietnam, Thailand, Indonesia, and India
	8T7R6A	1524 mm x 50 m (60 in x 164 ft)	848412027174	China, Vietnam, Thailand, Indonesia, and India
	8T7R7A	1524 mm x 100 m (60 in x 328 ft)	848412027181	China, Vietnam, Thailand, Indonesia, and India

Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see HPLFMedia.com/MediaWarranties . To obtain warranty service, please contact Brand Management Group customer support at HPLFMedia.com/hp/en/contactus .
-----------------	--

¹ Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see: HPLFMedia.com/hp/printpermanence.

² See the HP REACH Declaration published at [HP Printing Products and Consumable Supplies](https://HPLFMedia.com/hp/en/contactus).

For detailed information on the HP large format printing materials portfolio and to order, see HPLFMedia.com

