

HP Everyday Gloss GR



The HP large format printing system-the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency–with every print.



See outstanding image quality with this versatile vinyl with gray, removable adhesive

Achieve vibrant print quality

Create high-impact signage with sharp, vibrant print quality while enjoying excellent value. Experience ease of installation with excellent lay-flat properties and removability.

Gain efficiency while providing outstanding color fidelity

Save time and gain efficiency with ICC profiles that help you get the color you need quicklyideal for a wide range of indoor and outdoor applications.

Save time with a reliable, total HP solution

Original HP printing materials, Original HP inks, and HP large format printers are designed to work together as a system to provide reliable, consistent, quality results that help save time.

Target customers	Applications	Benefits
Print service providers	Indoor and outdoor signage	Excellent value and performance in a monomeric calendered adhesive vinyl with gray removable adhesive
	Point-of-sale, retail displays	Outstanding print performance
	Indoor and outdoor advertising	Print with ease using the complete HP solution—media, inks, profiles, printer
	Window graphics	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
	Exhibit and event displays	

Technical specifications



HP Everyday Gloss GR

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

Ink compatibility	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks					
Liner	140 g/m² double-sided PE liner					
Thickness (base vinyl)	90 microns/3.55 mil per ISO 20534 Test Method					
Base vinyl	Calendered monomeric					
Adhesive	Gray, removable pressure-sensitive adhesive					
Opacity	>99% per TAPPI T-425 Test Method					
Finish	Gloss, >70 gloss units at 60° reflection					
Water resistance	Water resistant with HP 871 and 831 Latex Inks1					
Service temperature	-25 to 70 °C (-13 to 158 °F)					
Operating temperature	8 to 35°C (46 to 95°F)					
Storage temperature	5 to 25 °C (41 to 77 °F)					
Storage humidity	20 to 50% RH					
Lamination	Cold lamination; recommend using HP Everyday Matte or Gloss Laminate CP					
Shelf life	1 year, unopened in original packaging					
Environmental	REACH compliant ²					
Country of origin	Product of China					
Ordering information	Product num	bers Roll sizes	UPC codes	Region		
	8T7Q6A	1372 mm x 50 m (54 in x 164 ft)	848412027112	China, Vietnam, Thailand Indonesia, and India		
	8T7Q7A	1372 mm x 100 m (54 in x 328 ft)	848412027129	China, Vietnam, Thailand Indonesia, and India		
	8T7Q8A	1524 mm x 50 m (60 in x 164 ft)	848412027136	China, Vietnam, Thailand Indonesia, and India		
	8T7Q9A	1524 mm x 100 m (60 in x 328 ft)	848412027143	China, Vietnam, Thailand Indonesia, and India		

¹ Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see: HPLEMedia.com/hp/printpermanence.

² See the HP REACH Declaration published at <u>HP Printing Products and Consumable Supplies</u>.

For detailed information on the HP large format printing materials portfolio and to order, see HPLFMedia.com

© 2023 HP Development Company, LP. © 2023 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.



HP is a registered trademark of HP Development Company, LP. and is used by BMG under license from HP Development Company, L.P.