



HP Everyday Gloss CR



The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



See outstanding image quality with this versatile removable adhesive vinyl

Achieve vibrant print quality

Create high-impact signage with sharp, vibrant print quality while enjoying excellent value. Experience ease of installation with excellent lay-flat properties and removability.

Gain efficiency while providing outstanding color fidelity

Save time and gain efficiency with ICC profiles that help you get the color you need quickly. Applications include indoor or outdoor signs and graphics, banner stands, and POP and event displays.

Save time with a reliable, total HP solution

Original HP printing materials, Original HP inks, and HP large format printers are designed to work together as a system to provide reliable, consistent, quality results that help save time.

Target customers	Applications	Benefits
Print service providers	Indoor and outdoor signage	Excellent value and performance in a monomeric calendared adhesive vinyl with clear removable adhesive
	Point-of-sale, retail displays	Outstanding print performance
	Indoor and outdoor advertising	Print with ease using the complete HP solution—media, inks, profiles, printer
	Window graphics	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
	Exhibit and event displays	

Technical specifications



HP Everyday Gloss CR

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

Ink compatibility	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
Liner	140 g/m ² double-sided PE liner
Thickness (base vinyl)	90 microns/3.55 mil per ISO 20534 Test Method
Base vinyl	Calendered monomeric
Adhesive	Clear, removable pressure-sensitive adhesive
Opacity	>90% per TAPPI T-425 Test Method
Finish	Gloss, >70 gloss units at 60° reflection
Water resistance	Water resistant with HP 871 and 831 Latex Inks ¹
Service temperature	-25 to 70° C (-13 to 158° F)
Operating temperature	8 to 35° C (46 to 95° F)
Storage temperature	5 to 25° C (41 to 77° F)
Storage humidity	20 to 50% RH
Lamination	Cold lamination; recommend using HP Everyday Matte or Gloss Laminate CP
Shelf life	1 year, unopened in original packaging
Environmental	REACH compliant ²
Country of origin	Product of China

Ordering information	Product numbers	Roll sizes	UPC codes	Region
	8T7P8A	1372 mm x 50 m (54 in x 164 ft)	848412027075	China, Vietnam, Thailand, Indonesia, and India
	8T7P9A	1372 mm x 100 m (54 in x 328 ft)	848412027082	China, Vietnam, Thailand, Indonesia, and India
	8T7Q0A	1524 mm x 50 m (60 in x 164 ft)	848412027099	China, Vietnam, Thailand, Indonesia, and India
	8T7Q1A	1524 mm x 100 m (60 in x 328 ft)	848412027105	China, Vietnam, Thailand, Indonesia, and India

Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see HPLFMedia.com/MediaWarranties . To obtain warranty service, please contact Brand Management Group customer support at HPLFMedia.com/hp/en/contactus .
-----------------	--

¹ Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see: HPLFMedia.com/hp/printpermanence.

² See the HP REACH Declaration published at HP.Printing.Products.and.Consumable.Supplies.

For detailed information on the HP large format printing materials portfolio and to order, see HPLFMedia.com

